



Serie di rampe dedicata al carico e scarico di macchine movimento terra equipaggiate con cingoli in acciaio con portate fino a 75.000 kg, destinate al carico di mezzi pesanti su rimorchi e semirimorchi.

I principali settori di applicazione sono: trasporti eccezionali, macchine da costruzione, agricoltura, edilizia.

Grazie alla loro solida struttura e speciale superficie fresata antiscivolo realizzata dal pieno resistono all'azione di usura impressa dai cingoli in acciaio.

Tali modelli sono realizzabili in varie larghezze modulari in funzione delle portate richieste e possono altresì essere realizzate con vari tipi di appoggio.

Per il settore trasporti pesanti Definitive CLM realizza soluzioni per equipaggiare rimorchi e semirimorchi con numerose soluzioni quali:

- rampe per accesso al collo di cigno
- copri buca e allargatori
- sezioni per rimorchi con telai estensibili o estensioni con supporti intermedi
- rampe posteriori mobili
- rampe posteriori incernierate fisse e pieghevoli, a richiesta possiamo fornire kit di movimentazione a molla.

Siamo in grado di offrire soluzioni costruite su richiesta con una ampia gamma di personalizzazioni.

Ramps dedicated for loading and unloading earth-moving machines equipped with steel tracks with load capacities up to 75.000 kg, intended for loading heavy vehicles onto trailers and semi-trailers.


The main sectors of application are: special and exceptional transport, heavy construction machinery, agriculture, construction.

Thanks to their solid structure and special non-slip milled surface made from solid, they resist the wear caused by the steel tracks. These models can be made in various modular widths according to the required flow rates and can also be made with various types of support.

For the heavy transport sector Definitive CLM creates solutions to equip trailers and semi-trailers with several solutions such as:

- ramps for access to the gooseneck
- hole covers and wideners
- bed extension infills sections, infill feet adaptors or ramp extension pedestals
- rear mobile ramps
- rear fixed and folding hinged ramps, on request we can supply spring handling kits.

We can offer a wide range of customisations and solutions.



MOVIMENTO TERRA
CONSTRUCTION

GIARDINAGGIO
GARDENING

TRASPORTI
AUTOMOTIVE

LOGISTICS
LOGISTICS

















SUPERAMENTO BARRIERE ARCHITETTONICHE
ACCESSIBILITY

ATTREZZATURE E PASSERELLE PER CANTIERI
BRIDGES AND CONSTRUCTION SITE EQUIPMENTS

Tipo Type	Portata a coppia per veicoli con passo Load capacity per pair for vehicles with wheelbase			Lunghezza totale Total length	Altezza trave Beam height	Larghezza totale Total width	Peso a rampa Weight per ramp
	1,0 m	1,5 m	2,0 m				
	kg						
20.20.39	21.000	21.000	21.000	2.000	105	390	34
20.25.39	14.000	14.000	14.000	2.500	105	390	42
20.30.39	10.000	13.000	13.000	3.000	105	390	50
20.35.39	8.500	9.500	10.500	3.500	105	390	58
20.40.39	7.000	8.000	9.000	4.000	105	390	66
20.20.52	26.000	26.000	26.000	2.000	105	520	45
20.25.52	19.000	21.000	21.000	2.500	105	520	55
20.30.52	15.000	18.000	18.000	3.000	105	520	66
20.35.52	10.500	11.500	12.500	3.500	105	520	77
20.40.52	9.000	10.000	11.000	4.000	105	520	87
21.20.30	18.600	18.600	18.600	2.000	120	300	35
21.25.30	13.400	14.100	14.100	2.500	120	300	43
21.30.30	10.000	10.000	10.000	3.000	120	300	50
21.35.30	8.000	9.000	9.400	3.500	120	300	58
21.40.30	6.600	7.300	8.100	4.000	120	300	66
21.45.30	5.000	5.600	6.200	4.500	120	300	77
21.20.40	18.600	18.600	18.600	2.000	120	400	45
21.25.40	13.400	14.100	14.100	2.500	120	400	54
21.30.40	10.000	11.300	11.300	3.000	120	400	64
21.35.40	8.000	9.000	9.400	3.500	120	400	73
21.40.40	6.600	7.300	8.100	4.000	120	400	82
21.45.40	5.000	5.600	6.200	4.500	120	400	85
21.20.45	28.000	28.000	28.000	2.000	120	450	53
21.25.45	20.000	21.000	21.000	2.500	120	450	64
21.30.45	15.000	17.000	17.000	3.000	120	450	76
21.35.45	12.000	13.000	14.200	3.500	120	450	87
21.40.45	10.000	11.000	12.200	4.000	120	450	98
21.45.45	8.700	9.700	10.650	4.500	120	450	115
21.20.60	39.000	39.000	39.000	2.000	120	600	72
21.25.60	27.000	30.000	30.000	2.500	120	600	87
21.30.60	20.000	23.500	23.500	3.000	120	600	103
21.35.60	16.000	18.100	19.700	3.500	120	600	120
21.40.60	13.100	14.600	16.500	4.000	120	600	136
21.45.60	11.000	12.200	13.500	4.500	120	600	153
23.20.45	37.800	37.800	37.800	2.000	140	450	57
23.25.45	27.200	28.600	28.600	2.500	140	450	70
23.30.45	20.000	23.000	23.000	3.000	140	450	83
23.35.45	16.100	18.300	19.200	3.500	140	450	95
23.40.45	13.400	15.000	16.500	4.000	140	450	108
23.20.60	50.000	50.000	50.000	2.000	140	600	77
23.25.60	36.300	38.100	38.100	2.500	140	600	93
23.30.60	27.000	30.500	30.500	3.000	140	600	110
23.35.60	21.500	24.400	25.600	3.500	140	600	127
23.40.60	18.600	20.000	22.000	4.000	140	600	144

TEMPORANEAMENTE I PREZZI VERRANNO COMUNICATI SU RICHIESTA

*Versione fuori standard (i tempi di consegna per le rampe evidenziate verranno comunicati al momento della richiesta e potranno differire rispetto alle standard). Le rampe serie 20/21/23 vengono fornite con diversi tipi di appoggio a seconda del modello. Tutte con maniglie laterali in nylon, a richiesta senza maniglie.

Tipo Type	SEZIONI PROFILE SECTIONS	APPOGGI CONNECTIONS
20.20.39		
20.25.39		
20.30.39		
20.35.39		
20.40.39		
20.20.52		
20.25.52		
20.30.52		
20.35.52		
20.40.52		
21.20.30		
21.25.30		
21.30.30		
21.35.30		
21.40.30		
21.45.30		
21.20.40		
21.25.40		
21.30.40		
21.35.40		
21.40.40		
21.45.40		
21.20.45		
21.25.45		
21.30.45		
21.35.45		
21.40.45		
21.45.45		
21.20.60		
21.25.60		
21.30.60		
21.35.60		
21.40.60		
21.45.60		
23.20.45		
23.25.45		
23.30.45		
23.35.45		
23.40.45		
23.20.60		
23.25.60		
23.30.60		
23.35.60		
23.40.60		

TEMPORARILY PRICES ARE COMMUNICATED UPON REQUEST

*Non-standard version (delivery time for underlined ramp models will be indicated upon request and could be different from delivery time of standard models). Ramps series 20/21/23 are supplied with different types of connection, depending on the model. These ramps are supplied with textile handles as standard. Also available without handles upon request.